RISK ASSESSMENT CHECKLIST

England Netball SportPark 3 Oakwood Drive Loughborough Leicestershire LE11 3QF W Englandnetball.co.uk T 01509 277850 E membership@englandnetball.co.uk

It is recommended that this form be completed before any England Netball recognised and authorised netball activity. All "unacceptable" conditions and risks should be identified and rectified to a standard that provides acceptable and safe conditions for all parties. If not safe, no play should occur. Please ensure that the completed form is filed with the signatories for future reference and held for 3 years.

| Date | Venue | | | |
|---|--------------------|--|---------------|------------|
| Purpose of Hire | | | | |
| COURT SURFACE & SURI | ROUNDS | | ACCEPTABLE UN | ACCEPTABLE |
| | sonable condition? | ? (Free of holes, cracks etc.) Fe? (Free of obstructions, hanging | | |
| Are the goal posts in good condition (No obvious damage?) Is there an adequate run-off area around each court? Is the lighting sufficient to ensure safe play? | | | | |
| WEATHER | | | | |
| Have weather conditions of Are the weather condition lightning etc.) | | • • | | |
| FIRE AID & FIRE SAFETY Is a trained first aider/first players? | | ailable for treating injured | | |
| Is an adequate procedure in place for dealing with a serious injury (mobile phone, transport, etc.) | | | | |
| Have the fire exits been che obstruction?) | | | | |
| Are there any other factors which may be dangerous to the players? Have all participants been made aware of the drill in event of a fire or other emergency? | | | | |
| COMMENTS (particularly ticked) | where any "unacce | eptable" checkboxes have been | | |
| Prior to the commencem have undertaken the abo environment is fit for pla | ve inspection and | activity, we, the undersigned, dagree that the playing | | |
| Full Name | Full Na | ame | | |
| Membership No. (if known) | Membe | ership No. <i>(if known)</i> | | |
| Role | Role | | | |
| Signature | Signati | ıre | | |



